



ASSAM TEA EMPLOYEES PROVIDENT FUND ORGANIZATION
(Formerly known as The Assam Tea Plantations Provident Fund & Pension Fund Scheme & D.L.I Scheme)
"Nidhi Bhawan" Basistha, Lalmati, N.H. - 37, Guwahati - 781029
Phone: 2300108, 2300604, 2300742, 2304263 Fax: 0361-2302602 E-Mail: atppf@live.com website: atppf.nic.in

TENDER NOTICE

No./PF/H.O/CC/Al.W&PVC DOOR/2024/

DT. _____

Sealed tender affixing Court Fee Stamp of Rs.8.25 (non. refundable) are invited by the undersigned from registered appropriate Firms/Contractors in prescribed Form for the following works will be received in the office of the ATEPFO, Nidhi Bhawan, Lalmati, Basistha, N.H. 37, Guwahati-29 upto 1.00 P.M on 09-10-2024 and opened at 2.00 P.M on the same day.

1. Name of works : Aluminium Windows and PVC Door Fitting at LIG C-II Block Unit 7 and Unit 10 at ATEPFO, H.O. Complex, Gy-29.
2. Estimated. Value : Rs 38,781/-
3. Rate to be quoted : On supplied prescribed Form's bill of quantities and total Quoted value also added.(Including all taxes).
4. Time of Completion : 10 (ten) days from the date of issue of formal work order.
5. The upto date I.T., GST, Registration, Trade License Certificates will have to be enclosed with quotations. The office reserves the right to accept/reject any or all quotations without assigning any reason whatsoever.

Additional PF Commissioner
ATEPFO

MemoNo: No./PF/H.O/CC/Al.W&PVC DOOR/2024/

95-96 dt. 03.10.2024

Copy to : 1. System Manager, Computer Cell to upload in the official website.
2. Notice Board.

Additional PF Commissioner
ATEPFO

TENDER FORM



Name of Work :- Aluminium Windows and PVC Door Fitting at LIG C-II Block Unit 7 and Unit 10 at ATEPFO, H.O. Complex, Gy-29.

SL No	Description	Unit	Qty	Rate	Amount
1	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : Of area 3 sq. metres and below	each	3		
2	Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture..... as per direction of Engineer-in-charge, manufacturer's specification & drawing. 30 mm thick plain PVC door shutters.	Sqm	1.575		

SL No	Description	Unit	Qty	Rate	Amount
3	Providing, fitting and fixing anodised aluminium sliding windows and ventilators of standard sections of approved brand without horizontal glazing bars, joints mitred and welded (manufactured to relevant IS specifications) and providing and fixing handles, angle cleat, rubber gasket, roller, bolting device, locking arrangements, screws etc as required complete as specified and directed for all levels. (a) 2 Track sliding window (iv) 5 mm clear glass	Sqm	6.51		

TOTAL

Add 18% GST =

TOTAL =

Total (in words):- _____

Contractors Name:- _____

Address:- _____

Registration No:- _____